Plant Molecular Biology

Contents of Volume 17, 1991

Vol. 17 No. 1 July 1991

O. Damgaard and O. Rasmussen: Direct regeneration of transformed shoots in *Brassica napus* from hypocotyl infections with *Agrobacterium rhizogenes* 1

E. Back, W. Dunne, A. Schneiderbauer, A. de Framond, R. Rastogi and S.J. Rothstein: Isolation of the spinach nitrite reductase gene promoter which confers nitrate inducibility on GUS gene expression in transgenic tobacco 9

D.D. Ellis, D. McCabe, D. Russell, B. Martinell and B.H. McCown: Expression of inducible angiosperm promoters in a gymnosperm, *Picea glauca* (white spruce) 19

R. Horn, R.H. Köhler and K. Zetsche: A mitochondrial 16 kDa protein is associated with cytoplasmic male sterility in sunflower 29

R. Gregerson, M. McLean, M. Beld, A.G.M. Gerats and J. Strommer: Structure, expression, chromosomal location and product of the gene encoding ADH1 in *Petunia* 37

C. Peach and J. Velten: Transgene expression variability (position effect) of CAT and GUS reporter genes driven by linked divergent T-DNA promoters 49

K.G. Raghothama, K.A. Lawton, P.B. Goldsbrough and W.R. Woodson: Characterization of an ethylene-regulated flower senescence-related gene from carnation 61

M. Keller, R.L. Chan, L.-H. Tessier, J.-H. Weil and P. Imbault: Post-transcriptional regulation by light of the biosynthesis of *Euglena* ribulose-1,5-bisphosphate carboxylase/oxygenase small subunit 73

C. Crétin, N. Bakrim, E. Kéryer, S. Santi, L. Lepiniec, J. Vidal and P. Gadal: Production in *Escherichia coli* of active *Sorghum* phosphoenolpyruvate carboxylase which can be phosphorylated 83

G.A. Edwards, A. Hepher, S.P. Clerk and D. Boulter: Pea lectin is correctly processed, stable and active in leaves of transgenic potato plants 89

M.C. Griffor, L.O. Vodkin, R.J. Singh and T. Hymowitz: Fluorescent *in situ* hybridization to soybean metaphase chromosomes 101

N.M. Inamdar, K.C. Ehrlich and M. Ehrlich: CpG methylation inhibits binding of several sequence-specific DNA-binding proteins from pea, wheat, soybean and cauliflower 111

Update section

H. Cerutti and A.T. Jagendorf: Nucleotide sequence of the chloroplast 16S rRNA gene from pea (*Pisum sativum* L.) 125

J.P. Radicella, D. Turks and V.L. Chandler: Cloning and nucleotide sequence of a cDNA encoding *B-Peru*, a regulatory protein of the anthocyanin pathway in maize 127

J. Bertsch and R. Malkin: Nucleotide sequence of the *petA* (cytochrome *f*) gene from the green alga, *Chlamydomonas reinhardtii* 131

D. Falconet, M.J. White, B.W. Fristensky, M.S. Dobres and W.F. Thompson: Nucleotide sequence of *Cab-215*, a Type II gene encoding a photosystem II chlorophyll *a*/*b*-binding protein in *Pisum* 135

M. Köck, A. Hamilton and D. Grierson: *eth1*, a gene involved in ethylene synthesis in tomato 141

I. Marty and Y. Meyer: Nucleotide sequence of a cDNA encoding a tobacco thioredoxin 143

Y. Salts, R. Wachs, W. Gruissem and R. Barg: Sequence coding for a novel proline-rich protein preferentially expressed in young tomato fruit 149

M.P. Does, B.M.M. Dekker, M.J.A. de Groot and R. Offringa: A quick method to estimate the T-DNA copy number in transgenic plants at an early stage after transformation, using inverse PCR 151

P. Dörfel, A. Weihe, R. Dolferus and T. Börner: DNA sequence of a mitochondrial plasmid from *Chenopodium album* 155

M. van Spanje, W.G. Dirkse, J.-P. Nap and W.J. Stiekema: Isolation and analysis of cDNA encoding the 33 kDa precursor protein of the oxygen-evolving complex of potato 157

C.F. Wimpee, R.L. Wrobel and D.K. Garvin: A divergent plastid genome in *Conopholis americana*, an achlorophyllous parasitic plant 161

J.C. Lloyd, P.R. Horsnell, T.A. Dyer and C.A. Raines: Structure and sequence of a wheat phosphoribulokinase gene 167

I. Capesius: Sequence of the 5S rRNA gene from *Sinapis alba* 169

O. Edelbaum, N. Sher, M. Rubinstein, D. Novick, N. Tal, M. Moyer, E. Ward, J. Ryals and I. Sela: Two antiviral proteins, gp35 and gp22, correspond to β-1,3-glucanase and an isoform of PR-5 171

R.A. Naidu, G.B. Collins and S.A. Ghabrial: Nucleotide sequence analysis of a cDNA clone encoding the coat protein gene of peanut stunt virus 175

H.E. James and C. Robinson: Nucleotide sequence of cDNA encoding the precursor of the 23 kDa protein of the photosynthetic oxygen-evolving complex from wheat 179

P.R. Horsnell and C.A. Raines: Nucleotide sequence of a cDNA clone encoding chloroplast phosphoribulokinase from *Arabidopsis thaliana* 183

P.R. Horsnell and C.A. Raines: Nucleotide sequence of a cDNA clone encoding chloroplast fructose-1,6-bisphosphatase from *Arabidopsis thaliana* 185

Erratum

D.L. Murray and B.D. Kohorn: Chloroplasts of *Arabidopsis thaliana* homozygous for the ch-1 locus lack chlorophyll *b*, lack stable LHCPII and have stacked thylakoids 187

Vol. 17 No. 2 August 1991

K. Venkateswarlu and R. Nazar: A conserved core structure in the 18-25S rRNA intergenic region from tobacco, *Nicotiana rustica* 189

R. Scott, E. Dagless, R. Hodge, W. Paul, I. Soufleri and J. Draper: Patterns of gene expression in developing anthers of *Brassica napus* 195

E. Oxtoby, M.A. Dunn, A. Pancoro and M.A. Hughes: Nucleotide and derived amino acid sequence of the cyanogenic-glucosidase (linamarase) from white clover (*Trifolium repens* L.) 209

M.K. Tan: Analysis of *Pteridium* ribosomal, RNA sequences by rapid direct sequencing 221

M.W. Lassner, A. Jones, S. Daubert and L. Comai: Targeting of T7 RNA polymerase to tobacco nuclei mediated by an SV40 nuclear location signal 229

M.M. Oliveira, J. Barroso and M.S.S. Pais: Direct gene transfer into *Actinidia deliciosa* protoplasts: analysis of transient expression of the *CAT* gene using TLC autoradiography and a GC-MS-based method 235

M. Margis-Pinheiro, M.H. Metz-Boutigue, A. Awade, M. de Tapia, M. le Ret and G. Burkard: Isolation of a complementary DNA encoding the bean PR4 chitinase: an acidic enzyme with an amino-terminus cysteine-rich domain 243

Update section

J. Weng, Z.-F. Wang and H.T. Nguyen: Nucleotide sequence of a *Triticum aestivum* cDNA clone which is homologous to the 26 kDa chloroplast-localized heat shock protein gene of maize 255

M. Seki, Y. Komeda, A. Iida, Y. Yamada and H. Morikawa: Transient expression of *ß*-glucuronidase in *Arabidopsis thaliana* leaves and roots and *Brassica napus* stems using a pneumatic particle gun 259

M. Lebrun and G. Freyssinet: Nucleotide sequence and characterization of a maize cytoplasmic ribosomal protein S11 cDNA 265

A. Isogai, S. Yamakawa, H. Shiozawa, S. Takayama, H. Tanaka, T. Kono, M. Watanabe, K. Hinata and A. Suzuki: The cDNA sequence of NS_1 glycoprotein of *Brassica campestris* and its homology to S-locus-related glycoproteins of *B. oleracea* 269

J. Weng, Z.-F. Wang and H.T. Nguyen: A *Triticum aestivum* cDNA clone encoding a low-molecular-weight heat shock protein 273

R.C. Meyer, Jr., P.B. Goldsbrough and W.R. Woodson: An ethylene-responsive flower senescence-related gene from carnation encodes a protein homologous to glutathione *s*-transferases 277

G. Rebmann, F. Mauch and R. Dudler: Sequence of a wheat cDNA encoding a pathogen-induced thaumatin-like protein 283

K. Yamagishi, C. Mitsumori and Y. Kikuta: Nucleotide sequence of a cDNA encoding the putative trypsin inhibitor in potato tuber 287

S.R. Mayes and J. Barber: Primary structure of the *psbN-psbH-petC-petA* gene cluster of the cyanobacterium *Synechocystis* PCC 6803 289

M.R. Roberts, F. Robson, G.D. Foster, J. Draper and R.J. Scott: A *Brassica napus* mRNA expressed specifically in developing microspores 295

H. Carrer, J.M. Staub and P. Maliga: Gentamycin resistance in *Nicotiana* conferred by AAC(3)-I, a narrow substrate specificity acetyltransferase 301

B.M. Winning, C.D. Day, C.J. Sarah and C.J. Leaver: Nucleotide sequence of two cDNAs encoding the adenine nucleotide translocator from *Zea mays* L. 305

Vol. 17 No. 3 September 1991

Editorial iii

Jae-Seong So and B.A. Larkins: Binding of an endosperm-specific nuclear protein to a maize beta-zein gene correlates with zein transcriptional activity 309

H.S. Feiler and T.W. Jacobs: Cloning of the pea *cdc2* homologue by efficient immunological screening of PCR products 321

P. Gallusci, A. Dedieu, E.P. Journet, T. Huguet and D.G. Barker: Synchronous expression of leghaemoglobin genes in *Medicago truncatula* during nitrogen-fixing root nodule development and response to exogenously supplied nitrate 335

F. Aguilar, P.-E. Montandon and E. Stutz: Two genes encoding the soybean translation elongation factor eEF-α are transcribed in seedling leaves 351

M. Gupta and B. Hoo: Entire maize chloroplast genome is stably maintained in a yeast artificial chromosome 361

M.S. Rajeevan, C.L. Bassett and D.W. Hughes: Isolation and characterization of cDNA clones for NADP-malic enzyme from leaves of *Flaveria*: transcript abundance distinguishes C_3, C_3-C_4 and C_4 photosynthetic types 371

T. Hendriks, D. Vreugdenhil and W.J. Stiekema: Patatin and four serine proteinase inhibitor genes are differentially expressed during potato tuber development 385

M.-N. Binet, J.-H. Weil and L.-H. Tessier: Structure and expression of sunflower ubiquitin genes 395

L. Godiard, D. Froissard, J. Fournier, M. Axelos and Y. Marco: Differential regulation in tobacco cell suspensions of genes involved in plant-bacteria interactions by pathogen-related signals 409

G. Gowri, N.L. Paiva and R.A. Dixon: Stress responses in alfalfa (*Medicago sativa* L.) 12. Sequence analysis of phenylalanine ammonia-lyase (PAL) cDNA clones and appearance of PAL transcripts in elicitor-treated cell cultures and developing plants 415

F. van der Wilk, D. Posthumus-Lutke Willink, M.J. Huisman, H. Huttinga and R. Goldbach: Expression of the potato leafroll luteovirus coat protein gene in transgenic potato plants inhibits viral infection 431

A.C.M. Brasileiro, J.-C. Leplé, J. Muzzin, D. Ounnoughi, M.-F. Michel and L. Jouanin: An alternative approach for gene transfer in trees using wild-type *Agrobacterium* strains 441

B.L. Parsons and A.K. Mattoo: Wound-regulated accumulation of specific transcripts in tomato fruit: interactions with fruit development, ethylene and light 453

F. Cremer, C. van de Walle and G. Bernier: Changes in mRNA level rhythmicity in the leaves of *Sinapis alba* during a lengthening of the photoperiod which induces flowering 465

S. Herminghaus, P.H. Schreier, J.E.G. McCarthy, J. Landsmann, J. Botterman and J. Berlin: Expression of a bacterial lysine decarboxylase gene and transport of the protein into chloroplasts of transgenic tobacco 475

Update section

R.M. MacKay and J.W. Gallant: Beta-tubulins are encoded by at least four genes in the brown alga *Ectocarpus variabilis* 487

C. Franche, D. Bogusz, C. Schöpke, C. Fauquet and R.N. Beachy: Transient gene expression in cassava using high-velocity microprojectiles 493

M.J. Spence, M.T. Henzl and P.J. Lammers: The structure of a *Phaseolus vulgaris* cDNA encoding the iron storage protein ferritin 499

M. Kono, H. Satoh, Y. Okabe, Y. Abe, K. Nakayama and M. Okada: Nucleotide sequence of the large subunit of ribulose-1,5-bisphosphate carboxylase/oxygenase from the green alga *Bryopsis maxima* 505

Xi-Yang Li, S.W. Rogers and J.C. Rogers: A copy of exon 3-intron 3 from the barley aleurain gene is present on chromosome 2 509

J. Kangasjärvi, A. McCullough and B.G. Gengenbach: Nucleotide sequence and transcription of maize plastid genome *Bam* HI fragment 14 containing ORF170 513

G. Gil-Gómez, P.F. Marrero, D. Haro, J. Ayté and F.G. Hegardt: Characterization of the gene encoding the 10 kDa polypeptide of photosystem II from *Arabidopsis thaliana* 517

L. Alexander, D. Falconet, B.W. Fristensky, M.J. White, J.C. Watson, B.A. Roe and W.F. Thompson: Nucleotide sequence of *Cab-8*, a new type I gene encoding a chlorophyll *a/b*-binding protein of LHC II in *Pisum* 523

S. Zanlungo, S. Litvak and X. Jordana: Isolation and nucleotide sequence of the potato mitochondrial gene for apocytochrome b 527

N. Okumura, N.-K. Nishizawa, Y. Umehara and S. Mori: An iron deficiency-specific cDNA from barley roots having two homologous cysteine-rich MT domains 531

N. Koizumi, F. Sato, Y. Terano and Y. Yamada: Sequence analysis of cDNA encoding phosphoenol-pyruvate carboxylase from cultured tobacco cells 535

Y. Nagano, H. Ishikawa, R. Matsuno and Y. Sasaki: Nucleotide sequence and expression of the ribosomal protein L2 gene in pea chloroplasts 541

J.J. Estruch, A. Parets-Soler, T. Schmülling and A. Spena: Cytosolic localization in transgenic plants of the *rolC* peptide from *Agrobacterium rhizogenes* 547

Shaobing Hua, S.K. Dube, N.M. Barnett and Shain-dow Kung: Nucleotide sequence of gene *oee2-A* and its cDNA encoding 23kDa polypeptide of the oxygen-evolving complex of photosystem II in tobacco 551

P. Berthomieu and C. Meyer: Direct amplification of plant genomic DNA from leaf and root pieces using PCR 555

V. Mann, I. Ekstein, H. Nissen, C. Hiser, L. McIntosh and J. Hirschberg: The cytochrome oxidase II gene in mitochondria of the sugar-beet *Beta vulgaris* L. 559

Full paper

G. Hagen, G. Martin, Y. Li and T.J. Guilfoyle: Auxin-induced expression of the soybean GH3 promoter in transgenic tobacco plants 567

Vol. 17 No. 4 October 1991

Ki-Ling Suen and J.H. Choi: Isolation and sequence analysis of a cDNA clone for a carrot calcium-dependent protein kinase: homology to calcium/calmodulin-dependent protein kinases and to calmodulin 581

R.A. Creelman and J.E. Mullet: Water deficit modulates gene expression in growing zones of soybean seedlings. Analysis of differentially expressed cDNAs, a new ß-tubulin gene, and expression of genes encoding cell wall proteins 591

Q. Lin, Z.C. Chen, J.F. Antoniw and R.F. White: Isolation and charaterization of a cDNA clone encoding the anti-viral protein from *Phytolacca americana* 609

M.J.J. Van Haaren and C.M. Houck: Strong negative and positive regulatory elements contribute to the high-level fruit-specific expression of the tomato 2A11 gene 615

J.M. Davis, H.R.G. Clarke, H.D. Bradshaw, Jr. and M.P. Gordon: *Populus* chitinase genes: structure, organization, and similarity of translated sequences to herbaceous plant chitinases 631

H. Lill and N. Nelson: The *atp1* and *atp2* operons of the cyanobacterium *Synechocystis* sp. PCC 6803 641

N.L. Paiva, R. Edwards, Y. Sun, G. Hrazdina and R.A. Dixon: Stress responses in alfalfa (*Medicago sativa* L.) 11. Molecular cloning and expression of alfalfa isoflavone reductase, a key enzyme of isoflavonoid phytoalexin biosynthesis 653

S. Clausen and K. Apel: Seasonal changes in the concentration of the major storage protein and its mRNA in xylem ray cells of poplar trees 669

H.P. Hershey and T.D. Stoner: Isolation and characterization of cDNA clones for RNA species induced by substituted benzenesulfonamides in corn 679

R.G.F. Visser, A. Stolte and E. Jacobsen: Expression of a chimaeric granule-bound starch synthase-GUS gene in transgenic potato plants 691

A.H. Shirsat, N. Wilford, I.M. Evans, L.N. Gatehouse and R.R.D. Croy: Expression of a *Brassica napus* extensin gene in the vascular system of transgenic tobacco and rape plants 701

D. Dymock, R. Risiott, S. de Pater, J. Lancaster, P. Tillson and G. Ooms: Regulation of *Agrobacterium tumefaciens* T-*cyt* gene expression in leaves of transgenic potato (*Solanum tuberosum* L. cv. Désirée) is strongly influenced by plant culture conditions 711

G. Ooms, R. Risiott, A. Kendall, A. Keys, D. Lawlor, S. Smith, J. Turner and A. Young: Phenotypic changes in T-*cyt*-transformed potato plants are consistent with enhanced sensitivity of specific cell types to normal regulation by root-derived cytokinin 727

R. Perl-Treves and E. Galun: The tomato Cu,Zn superoxide dismutase genes are developmentally regulated and respond to light and stress 745

J.M. Cock, I.W. Brock, A.T. Watson, R. Swarup, A.P. Morby and J.V. Cullimore: Regulation of glutamine synthetase genes in leaves of *Phaseolus vulgaris* 761

R. Furter and B.D. Hall: Substances in nuclear wheat germ extracts which interfere with polymerase III transcriptional activity *in vitro* 773

J. Lidholm and P. Gustafsson: Homologues of the green algal *gidA* gene and the liverwort *frxC* gene are present on the chloroplast genomes of conifers 787

C.M.J. Pieterse, E.P. Risseeuw and L.C. Davidse: An *in planta* induced gene of *Phytophthora infestans* codes for ubiquitin 799

J.C. Rapp and J.E. Mullet: Chloroplast transcription is required to express the nuclear genes *rbcS* and *cab*. Plastid DNA copy number is regulated independently 813

V.M. Yusibov, P. Chun Il, V.M. Andrianov and E.S. Piruzian: Phenotypically normal transgenic T-*cyt* tobacco plants as a model for the investigation of plant gene expression in response to phytohormonal stress 825

P.R. Fobert, B.L. Miki and V.N. Iyer: Detection of gene regulatory signals in plants revealed by T-DNA-mediated fusions 837

N.-E. Assali, W.F. Martin, C.C. Sommerville and S. Loiseaux-de Goër: Evolution of the Rubisco operon from prokaryotes to algae: structure and analysis of the *rbcS* gene of the brown alga *Pylaiella littoralis* 853

E. Benvenuto, R.J. Ordàs, R. Tavazza, G. Ancora, S. Biocca, A. Cattaneo and P. Galeffi: "Phytoantibodies": a general vector for the expression of immunoglobulin domains in transgenic plants 865

F. Takaiwa, K. Oono, D. Wing and A. Kato: Sequence of three members and expression of a new major subfamily of glutelin genes from rice 875

G. Cerovic, D. Bozin and B. Dimitrijevic: Mismatch-specific DNA breakdown in nuclear extract from tobacco (*Nicotiana tabacum*) callus 887

M.M. Kater, G.M. Koningstein, H.J.J. Nijkamp and A.R. Stuitje: cDNA cloning and expression of *Brassica napus* enoyl-acyl carrier protein reductase in *Escherichia coli* 895

Update section

A.R. Slabas, I. Cottingham, A. Austin, T. Fawcett and C.M. Sidebottom: Amino acid sequence analysis of rape seed (*Brassica napus*) NADH-enoyl ACP reductase 911

K.L. Greer and S.S. Golden: Nucleotide sequence of *psbB* from *Prochlorothrix hollandica* 915

A. Avni, R.A. Mehta, A.K. Mattoo, B.M. Greenberg, B.B. Chattoo, D. Heller and M. Edelman: Nucleotide sequence of the *Spirodela oligorrhiza* chloroplast *psbA* gene coding for the D1 (32 kDa) photosystem II protein 919

E. Schwartz, R. Stasys, R. Aebersold, J.M. McGrath, B.R. Green and E. Pichersky: Sequence of a tomato gene encoding a third type of LHCII chlorophyll *A/B*-binding polypeptide 923

A. Pay, E. Heberle-Bors and H. Hirt: Isolation and sequence determination of the plant homologue of the eukaryotic initiation factor 4D cDNA from alfalfa, *Medicago sativa* 927

W.H. Wilson, J. Newman, N.H. Mann and N.G. Carr: Cloning and sequence analysis of the phycocyanin genes of the marine cyanobacterium *Synechococcus* sp. WH7803 931

N. Chaubet, B. Clément, G. Philipps and C. Gigot: Organ-specific expression of different histone H3 and H4 gene subfamilies in developing and adult maize 935

B.W. Schwartz, J.S. Sloan and W.M. Becker: Characterization of genes encoding hydroxypyruvate reductase in cucumber 941

F. Quigley, M.-L. Villiot and R. Mache: Nucleotide sequence and expression of a novel glycine-rich protein gene from *Arabidopsis thaliana* 949

J. Obokata, M. Ohme and N. Hayashida: Nucleotide sequence of a cDNA clone encoding a putative glycine-rich protein of 19.7 kDa in *Nicotiana sylvestris* 953

Erratum

J.R. Clark, M. Robertson and C.C. Ainsworth: Nucleotide sequence of a wheat (*Triticum aestivum* L.) cDNA clone encoding the *waxy* protein 957

Vol. 17 No. 5 November 1991

L.B. Smart and L. McIntosh: Expression of photosynthesis genes in the cyanobacterium *Synechocystis* sp. PCC 6803: *psaA-psaB* and *psbA* transcripts accumulate in dark-grown cells 959

S.-R. Kim, M.A. Costa and G. An: Sugar response element enhances wound response of potato proteinase inhibitor II promoter in transgenic tobacco 973

J. Vilardell, J. Mundy, B. Stilling, B. Leroux, M. Pla, G. Freyssinet and M. Pagès: Regulation of the maize *rab17* gene promoter in transgenic heterologous systems 985

M.A. Haring, S. Scofield, M.J. Teeuwen-de Vroomen, G.S. Leuring, H.J.J. Nijkamp and J. Hille: Novel DNA structures resulting from dTam3 excision in tobacco 995

F. Garcia-Maroto, P. Carbonero and F. Garcia-Olmedo: Site-directed mutagenesis and expression in *Escherichia coli* of WMAI-1, a wheat monomeric inhibitor of insect a-amylase 1005

R. Hightower, C. Baden, E. Penzes, P. Lund and P. Dunsmuir: Expression of antifreeze proteins in transgenic plants 1013

J.M. Cock, K.D. Kim, P.W. Miller, R.G. Hutson and R.R. Schmidt: A nuclear gene with many introns encoding ammonium-inducible chloroplastic NADP-specific glutamate dehydrogenase(s) in *Chlorella sorokiniana* 1023

V. Gruber: Heterozygosity in tetraploid potatoes revealed by rDNA polymorphism analysis of their dihaploid progenies: a contribution to chromosome assignment 1045

I. Adamska, B. Scheel and K. Kloppstech: Circadian oscillations of nuclear-encoded chloroplast proteins in pea (*Pisum sativum*) 1055

S. Weber, F.-P. Wolter, F. Buck, M. Frentzen and E. Heinz: Purification and cDNA sequencing of an oleate-selective acyl-ACP:*sn*-glycerol-3-phosphate acyltransferase from pea chloroplasts 1067

Update section

L. Lepiniec, S. Santi, E. Keryer, V. Amiet, J. Vidal, P. Gadal and C. Crétin: Complete nucleotide sequence of one member of the *Sorghum* phosphoenolpyruvate carboxylase gene family 1077

V. Lullien, R. Alary, A. Guirao, P. Joudrier and M.-F. Gautier: Isolation and nucleotide sequence of a cDNA clone encoding the bread wheat (*Triticum aestivum* L.) CM17 protein 1081

G.C. Ward and C.S. Levings III: The protein-encoding gene T-*urf13* is not edited in maize mitochondria 1083

P.A. Nakata, T.W. Greene, J.M. Anderson, B.J. Smith-White, T.W. Okita and J. Preiss: Comparison of the primary sequences of two potato tuber ADP-glucose pyrophosphorylase subunits 1089

A. Kalinski, D.S. Loer, J.M. Weisemann, B.F. Matthews and E.M. Herman: Isoforms of soybean seed oil body membrane protein 24 kDa oleosin are encoded by closely related cDNAs 1095

K.S. Blundy, M.A.C. Blundy and M.L. Crouch: Differential expression of members of the napin storage protein gene family during embryogenesis in *Brassica napus* 1099

P. Taberlet, L. Gielly, G. Pautou and J. Bouvet: Universal primers for amplification of three non-coding regions of chloroplast DNA 1105

G.A. Hull, N.G. Halford, M. Kreis and P.R. Shewry: Isolation and characterisation of genes encoding rye prolamins containing a highly repetitive sequence motif 1111

Vol. 17 No. 6 December 1991

Publisher's notice: 1992 publication programme iii

F.Th. Brederode, H.J.M. Linthorst and J.F. Bol: Differential induction of acquired resistance and PR gene expression in tobacco by virus infection, ethephon treatment, UV light and wounding 1117

Y. Wang, J.D. Jones, S.C. Weller and P.B. Goldsbrough: Expression and stability of amplified genes encoding 5-enolpyruvylshikimate-3-phosphate synthase in glyphosate-tolerant tobacco cells 1127

X.-Y. Liu, M. Rocha-Sosa, S. Hummel, L. Willmitzer and W.B. Frommer: A detailed study of the regulation and evolution of the two classes of patatin genes in *Solanum tuberosum* L. 1139

M.-F. Niogret, M. Dubald, P. Mandaron and R. Mache: Characterization of pollen polygalacturonase encoded by several cDNA clones in maize 1155

J.J. Eaton-Rye and W.F.J. Vermaas: Oligonucleotide-directed mutagenesis of *psbB*, the gene encoding CP47, employing a deletion mutant strain of the cyanobacterium *Synechocystis* sp. PCC 6803 1165

C.M. Richards, S.B. Hinman, C.D. Boyer and R.C. Hardison: Survey of plastid RNA abundance during tomato fruit ripening: the amounts of RNA from the ORF 2280 region increase in chromoplasts 1179

N.E. Hoffman, K. Ko, D. Milkowski and E. Pichersky: Isolation and characterization of tomato cDNA and genomic clones encoding the ubiquitin gene *ubi3* 1189

R.C. Bugos, V.L.C. Chiang and W.H. Campbell: cDNA cloning, sequence analysis and seasonal expression of lignin-bispecific caffeic acid/5-hydroxyferulic acid O-methyltransferase of aspen 1203

J. Entwistle, S. Knudsen, M. Müller and V. Cameron-Mills: Amber codon suppression: the *in vivo* and *in vitro* analysis of two C-hordein genes from barley 1217

S.J. Gilmour and M.F. Thomashow: Cold acclimation and cold-regulated gene expression in ABA mutants of *Arabidopsis thaliana* 1233

Update section

J.W. Meadows and C. Robinson: The full precursor of the 33 kDa oxygen-evolving complex protein of wheat is exported by *Escherichia coli* and processed to the mature size 1241

X. Lin, M.-S. Chern and J.L. Zimmerman: Cloning and characterization of a carrot hsp70 gene 1245

Y. Yamamoto, H. Tsuji, N. Hayashida, K. Inoue and J. Obokata: Nucleotide sequence of cDNA clones encoding PSI-D2 protein of photosystem I in *Nicotiana sylvestris* 1251

R.-X. Fang, Z. Pang, D.-M. Gao, K.-Q. Mang and N.-H. Chua: cDNA sequence of a virus-inducible, glycine-rich protein gene from rice 1255

P.M. Kelley, K. Godfrey, S.K. Lal and M. Alleman: Characterization of the maize pyruvate decarboxylase gene 1259

S.H. Isin and R.D. Allen: Isolation and characterization of a pea catalase cDNA 1263

M. Luo, L. Lin, R.D. Hill and S.S. Mohapatra: Primary structure of an environmental stress and abscisic acid-inducible alfalfa protein 1267

L. Wong-Vega, J.J. Burke and R.D. Allen: Isolation and sequence analysis of a cDNA that encodes pea manganese superoxide dismutase 1271

F. Sagliocco, A. Kapazoglou and L. Dure III: Sequence of an *rbcS* gene from cotton 1275